



HYDRO

ABOVE-GROUND HYDRANTS

Functional, reliable and durable



ZEROWATERLOSS
vonroll-hydro.world



Functional, reliable and durable

HYDRANT FAMILY VONROLL HYDRO

Stylish choices for every setting

High corrosion protection from epoxy powder coating in accordance with GSK guidelines. Our clients benefit from the innovative product features of the new generation of hydrants.

The extinguishing water valve you can depend on

- quickly ready for deployment any time
- smooth operation
- guarantees the required flow rates, higher than the standard
- materials carefully selected for durability
- all above-ground hydrants have a DVGW type examination certificate
- also available with the option of TELL STORZ for monitoring (of unauthorised removal or relocation of the upper section of the hydrant)
- also available with the option of STOPR coupling (integrated non-return valves for backflow prevention)

The valve for clean drinking water

- all materials in contact with the medium comply with evaluation criteria of the UBA (German Environmental Agency)
- no negative impact on the hygiene quality of the drinking water in the pipe network, safe drainage
- long-lasting corrosion protection and UV protection (epoxy powder coating and polyester final coating on upper section)

The flexible valve for any setting

- the wide range of above-ground hydrants available in the vonRoll hydro family means there is the right hydrant for every environment, be it public water supply or even property protection
- easy to assemble, upper section can rotate 360° to be fixed in any orientation
- HYTEC family, height adjustment +/-50 mm
- customer-specific designs possible with custom colour schemes and emblems incorporated



HYTEC family

Tunnel hydrants



Keula family

Customer-specific designs

